

27/11/2007,10535187II.trn

Connecting via Winsock to STN

Welcome to STN International! Enter x:x

LOGINID:SSPTASXY1626

PASSWORD:


* * * * * RECONNECTED TO STN INTERNATIONAL * * * * *
SESSION RESUMED IN FILE 'HCAPLUS' AT 08:20:53 ON 26 NOV 2007
FILE 'HCAPLUS' ENTERED AT 08:20:53 ON 26 NOV 2007
COPYRIGHT (C) 2007 AMERICAN CHEMICAL SOCIETY (ACS)

COST IN U.S. DOLLARS	SINCE FILE	TOTAL
	ENTRY	SESSION
FULL ESTIMATED COST	173.84	519.57
DISCOUNT AMOUNTS (FOR QUALIFYING ACCOUNTS)	SINCE FILE	TOTAL
	ENTRY	SESSION
CA SUBSCRIBER PRICE	-24.96	-24.96

=> s l6/P and l3/ract
87 L6/P
39 L3
3047744 RACT/RL
32 L3/RACT
(L3 (L) RACT/RL)
L8 32 L6/P AND L3/RACT

=> d ed abs ibib hitstr tot

L8 ANSWER 1 OF 32 HCAPLUS COPYRIGHT 2007 ACS on STN (Continued)
 ED Entered STN: 03 Aug 2007
 GI




AB A process for the preparation of
 N-[1-(S)-ethoxycarbonyl-1-butyl]-L-alanine-DMT
 complex (I) by reaction of N-[1-(S)-ethoxycarbonyl-1-butyl]-L-alanine
 with
 4-(4,6-dimethoxy-1,3,5-triazin-2-yl)-4-methylmorpholinium chloride in a
 solvent and its use in the synthesis of perindopril, perindopril erbumine
 or pharmaceutically acceptable salts by reaction of I with compound (II)
 (R1
 = aryl, alkyl, or silyl protective group) in a solvent, following by
 deprotection of compound (III) using suitable deprotecting agent, is
 described. Thus, N-[1-(S)-ethoxycarbonyl-1-butyl]-L-alanine and
 4-(4,6-dimethoxy-1,3,5-triazin-2-yl)-4-methylmorpholinium chloride were
 mixed in THF and stirred for about 10 min at t° = 20-25°
 under nitrogen. To the resulting solution contained complex I was added
 (2S,
 3aS, 7aS)-benzyl-perhydroindole-2-carboxylate at t° = 20-25°
 under nitrogen, and after separation and purification 1.5 g of
 perindopril benzyl
 ester was obtained, which was transformed into perindopril tert-Bu amine
 salt.
 ACCESSION NUMBER: 2007:845244 HCAPLUS
 DOCUMENT NUMBER: 147:212285
 TITLE: Process for the preparation of
 N-[1-(S)-ethoxycarbonyl-
 1-butyl]-(S)-alanine-DMT complex and its use in the
 preparation of perindopril
 INVENTOR(S): Joshi, Narendra Shriram; Pradhan, Nitin Sharan
 Chandra

L8 ANSWER 1 OF 32 HCAPLUS COPYRIGHT 2007 ACS on STN (Continued)
 (ethoxycarbonyl)butylamino]-1-oxopropyl]octahydro-, (2S,3aS,7aS)-,
 compd.
 with 2-methyl-2-propanamine (1:1) (CA INDEX NAME)

CM 1

CRN 82834-16-0
 CMP C19 H32, N2 O5

Absolute stereochemistry. Rotation (-).



CM 2

CRN 75-64-9
 CMP C4 H11 N



IT 122454-52-8P
 RL: IMF (Industrial manufacture); RCT (Reactant); SPN (Synthetic
 preparation); PREP (Preparation); RACT (Reactant or reagent)
 (preparation of ethoxycarbonylbutyl alanine DMT complex and its use in
 preparation of perindopril and perindopril erbumine)
 RN 122454-52-8 HCAPLUS
 CN 1H-Indole-2-carboxylic acid, 1-[(2S)-2-[[[(1S)-1-
 (ethoxycarbonyl)butylamino]-1-oxopropyl]octahydro-, phenylmethyl ester,
 (2S,3aS,7aS)- (CA INDEX NAME)


Absolute stereochemistry.

L8 ANSWER 1 OF 32 HCAPLUS COPYRIGHT 2007 ACS on STN (Continued)
 PATENT ASSIGNEE(S): Glenmark Pharmaceuticals Limited, India
 SOURCE: PCT Int. Appl., 16pp.
 CODEN: PIXXD2
 DOCUMENT TYPE: Patent
 LANGUAGE: English
 FAMILY ACC. NUM. COUNT: 1
 PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 2007085933	A2	20070802	WO 2007-IB150	20070123
W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EG, ES, FI, GB, GD, GE, GH, GM, GT, HN, HU, ID, IL, IN, IS, JP, KE, KG, KM, KN, KP, KR, KZ, LA, LC, LK, LR, LS, LT, LU, LV, LY, MA, MD, MG, MK, MN, MW, MX, MY, MZ, NA, NG, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RS, RU, SC, SD, SE, SG, SK, SL, SM, SV, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, ZA, ZM, ZW				
RW: AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IS, IT, LT, LU, LV, MC, NL, PL, PT, RO, SE, SI, SK, TR, BF, BJ, CP, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG, BW, GH, GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM				
PRIORITY APPL. INFO.:			IN 2006-MU125	A 20060125
			US 2006-792875P	P 20060418


OTHER SOURCE(S): CASREACT 147:212285; MARPAT 147:212285
 IT 82834-16-0P, Perindopril 107133-36-8P
 RL: IMF (Industrial manufacture); PAC (Pharmacological activity); SPN (Synthetic preparation); THU (Therapeutic use); BIOL (Biological study); PREP (Preparation); USES (Uses)
 (preparation of ethoxycarbonylbutyl alanine DMT complex and its use in preparation of perindopril and perindopril erbumine)
 RN 82834-16-0 HCAPLUS
 CN 1H-Indole-2-carboxylic acid, 1-[(2S)-2-[[[(1S)-1-
 (ethoxycarbonyl)butylamino]-1-oxopropyl]octahydro-, (2S,3aS,7aS)- (CA INDEX NAME)

Absolute stereochemistry. Rotation (-).



RN 107133-36-8 HCAPLUS
 CN 1H-Indole-2-carboxylic acid, 1-[(2S)-2-[[[(1S)-1-

L8 ANSWER 1 OF 32 HCAPLUS COPYRIGHT 2007 ACS on STN (Continued)




L8 ANSWER 2 OF 32 HCAPLUS COPYRIGHT 2007 ACS on STN
 ED Entered STN: 23 Feb 2007
 AB The present invention relates to a new process for the preparation of pure perindopril erbumine. The present invention also relates to a new process for the preparation of crystalline form D of perindopril erbumine.
 Crystalline perindopril erbumine is formulated into a pharmaceutically acceptable dosage form. Thus, (2S,3aS,7aS)-2-carboxyperhydroindole benzyl ester was treated with N-[(S)-1-carboxybutyl]-L-alanine in acetonitrile in presence of O-(benzotriazol-1-yl)-N,N,N',N'-tetramethyluronium hexafluorophosphate to afford 88% perindopril benzyl ester. Hydrogenolysis of crude perindopril benzyl ester over 10% Pd/C gave crude perindopril (2.33% of diketopiperazine I, 0.54% of diketopiperazine II). Crude perindopril was dissolved in wet Et acetate, insol. impurities were filtered off, tert-butylamine was added to the filtrate, the mixture was heated to boiling, filtered and then cooled to 0° to precipitate perindopril erbumine in crystalline form D.
 ACCESSION NUMBER: 2007:206622 HCAPLUS
 DOCUMENT NUMBER: 146:259148
 TITLE: A process for the preparation of perindopril erbumine for dosage forms
 INVENTOR(S): Ham, Zoran; Furlan, Borut
 PATENT ASSIGNEE(S): Lek Pharmaceuticals D.D., Slovenia
 SOURCE: PCT Int. Appl., 26pp.
 CODEN: PIXXD2
 DOCUMENT TYPE: Patent
 LANGUAGE: English
 FAMILY ACC. NUM. COUNT: 1
 PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 2007020012	A1	20070222	WO 2006-EP7926	20060810
W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HN, HR, HU, ID, IL, IN, IS, JP, KE, KG, KM, KN, KP, KR, KZ, LA, LC, LK, LR, LS, LT, LU, LV, LY, MA, MD, MG, MK, MN, MW, MX, MZ, NA, NG, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RS, RU, SC, SD, SE, SG, SK, SL, SM, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, ZA, ZM, ZW				
RW: AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IS, IT, LT, LU, LV, MC, NL, PL, PT, RO, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG, BW, GH, GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM				
PRIORITY APPLN. INFO.:		SI 2005-232	A 20050812	


IT 107133-36-8P, Perindopril erbumine
 RL: PRP (Properties); SPN (Synthetic preparation); THU (Therapeutic use); BIOL (Biological study); PREP (Preparation); USES (Uses)
 (preparation of perindopril erbumine and its crystalline form for dosage forms)
 RN 107133-36-8 HCAPLUS
 CN 1H-Indole-2-carboxylic acid, 1-[(2S)-2-[[[(1S)-1-(ethoxycarbonyl)butyl]amino]-1-oxopropyl]octahydro-, phenylmethyl ester, (2S,3aS,7aS)- (CA INDEX NAME)

L8 ANSWER 2 OF 32 HCAPLUS COPYRIGHT 2007 ACS on STN (Continued)



RN 122454-52-8 HCAPLUS
 CN 1H-Indole-2-carboxylic acid, 1-[(2S)-2-[[[(1S)-1-(ethoxycarbonyl)butyl]amino]-1-oxopropyl]octahydro-, phenylmethyl ester, (2S,3aS,7aS)- (CA INDEX NAME)

Absolute stereochemistry.




REFERENCE COUNT: 7 THERE ARE 7 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE
 FORMAT

L8 ANSWER 2 OF 32 HCAPLUS COPYRIGHT 2007 ACS on STN (Continued)
 ED Entered STN: 23 Feb 2007
 AB The present invention relates to a new process for the preparation of pure perindopril erbumine. The present invention also relates to a new process for the preparation of crystalline form D of perindopril erbumine.
 Crystalline perindopril erbumine is formulated into a pharmaceutically acceptable dosage form. Thus, (2S,3aS,7aS)-2-carboxyperhydroindole benzyl ester was treated with N-[(S)-1-carboxybutyl]-L-alanine in acetonitrile in presence of O-(benzotriazol-1-yl)-N,N,N',N'-tetramethyluronium hexafluorophosphate to afford 88% perindopril benzyl ester. Hydrogenolysis of crude perindopril benzyl ester over 10% Pd/C gave crude perindopril (2.33% of diketopiperazine I, 0.54% of diketopiperazine II). Crude perindopril was dissolved in wet Et acetate, insol. impurities were filtered off, tert-butylamine was added to the filtrate, the mixture was heated to boiling, filtered and then cooled to 0° to precipitate perindopril erbumine in crystalline form D.
 ACCESSION NUMBER: 2007:206622 HCAPLUS
 DOCUMENT NUMBER: 146:259148
 TITLE: A process for the preparation of perindopril erbumine for dosage forms
 INVENTOR(S): Ham, Zoran; Furlan, Borut
 PATENT ASSIGNEE(S): Lek Pharmaceuticals D.D., Slovenia
 SOURCE: PCT Int. Appl., 26pp.
 CODEN: PIXXD2
 DOCUMENT TYPE: Patent
 LANGUAGE: English
 FAMILY ACC. NUM. COUNT: 1
 PATENT INFORMATION:

CM 1
 CRN 82834-16-0
 CMP C19 H32 N2 O5

Absolute stereochemistry. Rotation (-).



CM 2
 CRN 75-64-9
 CMP C4 H11 N



IT 82834-16-0P, Perindopril 122454-52-8P
 RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT (Reactant or reagent)
 (preparation of perindopril erbumine and its crystalline form for dosage forms)
 RN 82834-16-0 HCAPLUS
 CN 1H-Indole-2-carboxylic acid, 1-[(2S)-2-[[[(1S)-1-(ethoxycarbonyl)butyl]amino]-1-oxopropyl]octahydro-, (2S,3aS,7aS)- (CA INDEX NAME)

Absolute stereochemistry. Rotation (-).

L8 ANSWER 3 OF 32 HCAPLUS COPYRIGHT 2007 ACS on STN
 ED Entered STN: 16 Feb 2007
 AB The present invention relates to a novel crystalline η form of perindopril erbumine exhibiting characteristic 2θ values and having purity not less than 99.8%. More particularly, the present invention relates to a process for the preparation of the novel crystalline η form of perindopril erbumine comprising the steps of (i) dissolving perindopril erbumine monohydrate in halogenated hydrocarbon solvent, (ii) adding a co-solvent to the mixture of the content obtained from step (i); (iii) removing the mixture of solvents under reduced pressure in the range of 25 to 35°, and (iv) filtering off the solid obtained.

ACCESSION NUMBER: 2007:175534 HCAPLUS
 DOCUMENT NUMBER: 146:236294
 TITLE: Preparation of novel crystalline η (eta) form of perindopril erbumine
 INVENTOR(S): Ujagare, Ashish; Kochrekar, D. A.; Sarjekar, Pushpalata
 PATENT ASSIGNEE(S): Arch Pharmalabs Limited, India
 SOURCE: PCT Int. Appl., 21pp.
 CODEN: PIXXD2
 DOCUMENT TYPE: Patent
 LANGUAGE: English
 FAMILY ACC. NUM. COUNT: 1
 PATENT INFORMATION:


PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 2007017894	A2	20070215	WO 2006-IN156	20060504
WO 2007017894	A3	20070510		
W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HN, HR, HU, ID, IL, IN, IS, JP, KE, KG, KM, KN, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, LY, MA, MD, MG, MK, MN, MW, MX, MZ, NA, NG, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SM, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW				
RW: AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IS, IT, LT, LU, LV, MC, NL, PL, PT, RO, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG, BW, GH, GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM, AP, SA, SP, CA				
PRIORITY APPLN. INFO.:		IN 2005-MU561	A 20050505	

IT 107133-36-8P, Perindopril erbumine
 RL: PRP (Physical, engineering or chemical process); PRP (Properties); PUR (Purification or recovery); SPN (Synthetic preparation); THU (Therapeutic use); BIOL (Biological study); PREP (Preparation); PROC (Process); USES (Uses)
 (preparation and purification of η crystal form of perindopril erbumine of high purity and good solubility)
 RN 107133-36-8 HCAPLUS
 CN 1H-Indole-2-carboxylic acid, 1-[(2S)-2-[[[(1S)-1-(ethoxycarbonyl)butyl]amino]-1-oxopropyl]octahydro-, (2S,3aS,7aS)-, compd. with 2-methyl-2-propanamine (1:1) (CA INDEX NAME)

L8 ANSWER 3 OF 32 HCAPLUS COPYRIGHT 2007 ACS on STN (Continued)

CM 1
CRN 82834-16-0
CMP C19 H32 N2 O5

Absolute stereochemistry. Rotation (-).




CM 2
CRN 75-64-9
CMP C4 H11 N



IT 690267-97-1P, Perindopril erbumine monohydrate
RL: PEP (Physical, engineering or chemical process); PRP (Properties);
SPN (Synthetic preparation); PREP (Preparation); PROC (Process)
(preparation and purification of η crystal form of perindopril
erbumine of
high purity and good solubility)
RN 690267-97-1 HCAPLUS
CN 1H-Indole-2-carboxylic acid, 1-[(2S)-2-[[[(1S)-1-(ethoxycarbonyl)butyl]amino]-1-oxopropyl]octahydro-, (2S,3aS,7aS)-, compd.
with 2-methyl-2-propanamine, hydrate (1:1:1) (CA INDEX NAME)
CM 1
CRN 82834-16-0
CMP C19 H32 N2 O5


Absolute stereochemistry. Rotation (-).

L8 ANSWER 3 OF 32 HCAPLUS COPYRIGHT 2007 ACS on STN (Continued)




IT 924637-23-0P
RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation);
RACT (Reactant or reagent)
(preparation and purification of η crystal form of perindopril
erbumine of
high purity and good solubility)
RN 924637-23-0 HCAPLUS
CN 1H-Indole-2-carboxylic acid, 1-[(2S)-2-[[[(1S)-1-(ethoxycarbonyl)butyl]amino]-1-oxopropyl]octahydro-, phenylmethyl ester, hydrochloride (1:1), (2S,3aS,7aS)- (CA INDEX NAME)

Absolute stereochemistry.



● HCl

L8 ANSWER 3 OF 32 HCAPLUS COPYRIGHT 2007 ACS on STN (Continued)



CM 2
CRN 75-64-9
CMP C4 H11 N



IT 122454-52-8P
RL: PUR (Purification or recovery); RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT (Reactant or reagent)
(preparation and purification of η crystal form of perindopril
erbumine of
high purity and good solubility)
RN 122454-52-8 HCAPLUS
CN 1H-Indole-2-carboxylic acid, 1-[(2S)-2-[[[(1S)-1-(ethoxycarbonyl)butyl]amino]-1-oxopropyl]octahydro-, phenylmethyl ester, (2S,3aS,7aS)- (CA INDEX NAME)
Absolute stereochemistry.

L8 ANSWER 4 OF 32 HCAPLUS COPYRIGHT 2007 ACS on STN
ED Entered STN: 16 Feb 2007
AB The present invention relates to a novel crystalline form of perindopril erbumine monohydrate exhibiting characteristic 2θ values and having purity not less than 99.84. More particularly, the present invention relates to a process for the preparation of the novel crystalline form of perindopril erbumine monohydrate comprising steps of (i) dissolving perindopril erbumine in water; (ii) extracting the solution with toluene or xylene; (iii) removing water from the aqueous layer obtained from step (i); adding a polar solvent to the mass obtained from step (ii) at 20 to 45°; and (iv) filtering off the solid obtained.
ACCESSION NUMBER: 2007:175533 HCAPLUS
DOCUMENT NUMBER: 146:236293
TITLE: Preparation of novel crystalline form of perindopril erbumine monohydrate
INVENTOR(S): Ujjagar, Ashish; Kochrekar, D. A.; Sarjekar, Pushpalata
PATENT ASSIGNEE(S): Arch Pharmaceuticals Limited, India
SOURCE: PCT Int. Appl., 21pp.
CODEN: PIXXD2
DOCUMENT TYPE: Patent
LANGUAGE: English
FAMILY ACC. NUM. COUNT: 1
PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 2007017893	A2	20070215	WO 2006-IN155	20060504
WO 2007017893	A3	20070510		
W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, GR, HU, ID, IL, IN, IS, JP, KE, KG, KM, KN, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, LY, MA, MD, MG, MK, MN, MX, MZ, NA, NG, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SM, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW				
RW: AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IS, IT, LT, LU, LV, MC, NL, PL, PT, RO, SE, SI, SK, TR, BP, BJ, CP, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TO, BW, GH, GM, KE, LS, MM, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY, KG, KE, MD, RU, TJ, TM, AP, SA, SP, OA				
PRIORITY APPLN. INFO.:			IN 2005-MU562 A 20050505	

IT 690267-97-1P, Perindopril erbumine monohydrate
RL: PEP (Physical, engineering or chemical process); PRP (Properties);
PUR (Purification or recovery); SPN (Synthetic preparation); THU (Therapeutic use); BIOL (Biological study); PREP (Preparation); PROC (Process); USES (Uses)
(preparation and purification of crystalline form of perindopril
erbumine monohydrate
of high purity)
RN 690267-97-1 HCAPLUS
CN 1H-Indole-2-carboxylic acid, 1-[(2S)-2-[[[(1S)-1-(ethoxycarbonyl)butyl]amino]-1-oxopropyl]octahydro-, (2S,3aS,7aS)-, compd.
with 2-methyl-2-propanamine, hydrate (1:1:1) (CA INDEX NAME)